

Message

---

**From:** Miles, James [miles.james@epa.gov]  
**Sent:** 1/11/2021 1:37:28 PM  
**To:** Prakash Iyer [piyer@inhancetechnologies.com]  
**CC:** Teter, Royan [Teter.Royan@epa.gov]; Rodman, Sonja [Rodman.Sonja@epa.gov]; Nguyen, Thuy [Nguyen.Thuy@epa.gov]  
**Subject:** RE: [EXTERNAL]request for conference call

Thank you Prakash

---

**From:** Prakash Iyer <piyer@inhancetechnologies.com>  
**Sent:** Saturday, January 09, 2021 10:40 AM  
**To:** Miles, James <miles.james@epa.gov>  
**Cc:** Teter, Royan <Teter.Royan@epa.gov>; Rodman, Sonja <Rodman.Sonja@epa.gov>; Nguyen, Thuy <Nguyen.Thuy@epa.gov>  
**Subject:** RE: [EXTERNAL]request for conference call

James,  
I am doing well. Happy New Year to you and hope all is well on your end as well.

Thanks for sharing that information.

Please find attached the two documents that was referenced during our call last week.

Regards  
Prakash

---

**From:** Miles, James <miles.james@epa.gov>  
**Sent:** Thursday, January 7, 2021 4:25 PM  
**To:** Prakash Iyer <piyer@inhancetechnologies.com>  
**Cc:** Teter, Royan <Teter.Royan@epa.gov>; Rodman, Sonja <Rodman.Sonja@epa.gov>; Nguyen, Thuy <Nguyen.Thuy@epa.gov>  
**Subject:** RE: [EXTERNAL]request for conference call

Hello Prakash –

I hope you are well. I am following up with information from our laboratory as discussed during our call.

The spreadsheet has the preliminary results of the rinse samples from the different containers tested. The pdf file details the rinse procedures and the analysis performed. We look forward to continuing the conversation with Inhance regarding this matter.

Best,

James

---

**From:** Miles, James <miles.james@epa.gov>  
**Sent:** Tuesday, December 29, 2020 10:05 AM  
**To:** Prakash Iyer <piyer@inhancetechnologies.com>

**Cc:** Teter, Royan <[Teter.Royan@epa.gov](mailto:Teter.Royan@epa.gov)>; Rodman, Sonja <[Rodman.Sonja@epa.gov](mailto:Rodman.Sonja@epa.gov)>; Nguyen, Thuy <[Nguyen.Thuy@epa.gov](mailto:Nguyen.Thuy@epa.gov)>

**Subject:** RE: [EXTERNAL]request for conference call

Hi Prakash –

Royan and Sonja, cc-ed, are managers in our Waste and Chemical Enforcement Division who oversee our pesticide and chemicals programs.

Thuy is our contact for the laboratory working on this matter. We can start the call with Thuy providing a summary of the laboratory analysis to date.

For the remainder of the call, it would be helpful to hear from you about Inhance's coating technology: what the process entails, where the coating takes place, what chemicals are used etc. Of course we would be interested in your thoughts on our lab results in the context of this discussion.

The other folks on the invite would benefit from hearing the discussion. Two are staff attorneys working for Royan and Sonja. Tyler Lloyd is a technical contact from our chemicals program office (Office of Pollution Prevention and Toxics). We understand this is a sizeable group. Let me know if you would like to limit attendance.

Best,  
James

James Miles  
Associate Director, Acting  
Waste and Chemical Enforcement Division  
Office of Civil Enforcement  
Office of Enforcement and Compliance Assurance  
U.S. Environmental Protection Agency  
William Jefferson Clinton Bldg., South, Rm. 4111A  
1200 Constitution Ave., NW  
Washington, DC 20460  
202.564.5161  
[miles.james@epa.gov](mailto:miles.james@epa.gov)

---

**From:** Prakash Iyer <[piyer@inhancetechnologies.com](mailto:piyer@inhancetechnologies.com)>

**Sent:** Monday, December 28, 2020 8:17 PM

**To:** Miles, James <[miles.james@epa.gov](mailto:miles.james@epa.gov)>

**Cc:** Teter, Royan <[Teter.Royan@epa.gov](mailto:Teter.Royan@epa.gov)>

**Subject:** RE: [EXTERNAL]request for conference call

**Importance:** High

Hi James,

I received the invite for tomorrow's call. I noticed that in addition to you there are six additional EPA invitees. Given this unexpectedly large audience, kindly identify the roles and responsibilities of the invited participants and please provide a list of questions in advance of the call so we can efficiently address them.

Thanks,

Prakash

---

**From:** Miles, James <miles.james@epa.gov>  
**Sent:** Monday, December 28, 2020 2:54 PM  
**To:** Prakash Iyer <piyer@inhancetechnologies.com>  
**Cc:** Teter, Royan <Teter.Royan@epa.gov>  
**Subject:** RE: [EXTERNAL]request for conference call

Hi Prakash – that time should work.

Would a Microsoft teams meeting work on your end?

---

**From:** Prakash Iyer <piyer@inhancetechnologies.com>  
**Sent:** Monday, December 28, 2020 3:07 PM  
**To:** Miles, James <miles.james@epa.gov>  
**Cc:** Teter, Royan <Teter.Royan@epa.gov>  
**Subject:** Re: [EXTERNAL]request for conference call

James,

Does tomorrow work for a discussion? How about 10 am central tomorrow?

I am out today, unfortunately.

Regards

Prakash

---

**From:** Miles, James <miles.james@epa.gov>  
**Sent:** Monday, December 28, 2020 1:36:23 PM  
**To:** Prakash Iyer <piyer@inhancetechnologies.com>  
**Cc:** Teter, Royan <Teter.Royan@epa.gov>  
**Subject:** RE: [EXTERNAL]request for conference call

Hi Prakash –

Happy Holidays to you too. Thanks for your response.

We wanted to discuss a matter concerning the presence of certain per- and polyfluoroalkyl substances (PFAS) in a mosquito control product named Anvil 10+10 ULV from Clarke Mosquito. We understand that Inhance Technologies treats the containers used for this Clarke product.

Initial sampling and analysis from one of our laboratories indicate that treated containers are a source of the PFAS in the pesticide product. The specific coating process at issue involves the fluorination of high-density polyethylene (HDPE) containers. We would, with the benefit of our lab contact, talk to you about the data.

Please let me know your availability for a discussion.

Best,

James

---

**From:** Prakash Iyer <[piyer@inhancetechnologies.com](mailto:piyer@inhancetechnologies.com)>

**Sent:** Thursday, December 24, 2020 8:25 AM

**To:** Miles, James <[miles.james@epa.gov](mailto:miles.james@epa.gov)>; Rich Eichacker Jr. <[reichacker@inhancetechnologies.com](mailto:reichacker@inhancetechnologies.com)>

**Cc:** Teter, Royan <[Teter.Royan@epa.gov](mailto:Teter.Royan@epa.gov)>

**Subject:** RE: [EXTERNAL]request for conference call

Rich,  
Thanks for connecting and introducing me.

James,

I do apologize in the delay in responding, as I am just now seeing your email.  
but am happy to schedule some time for a call.

**Ex. 6 Personal Privacy (PP)**

Can you please share some details on the type of information that you are wanting to have a discussion around? That would be very much appreciated.

I hope you and yours are having a peaceful, safe and healthy Holiday Season.

Thank you and kind regards.  
Prakash

---

**From:** Miles, James <[miles.james@epa.gov](mailto:miles.james@epa.gov)>

**Sent:** Wednesday, December 23, 2020 3:01 PM

**To:** Rich Eichacker Jr. <[reichacker@inhancetechnologies.com](mailto:reichacker@inhancetechnologies.com)>

**Cc:** Teter, Royan <[Teter.Royan@epa.gov](mailto:Teter.Royan@epa.gov)>; Prakash Iyer <[piyer@inhancetechnologies.com](mailto:piyer@inhancetechnologies.com)>

**Subject:** RE: [EXTERNAL]request for conference call

Rich, thanks.

Prakash, are you available for a short call today?

James

---

**From:** Rich Eichacker Jr. <[reichacker@inhancetechnologies.com](mailto:reichacker@inhancetechnologies.com)>

**Sent:** Wednesday, December 23, 2020 4:00 PM

**To:** Miles, James <[miles.james@epa.gov](mailto:miles.james@epa.gov)>

**Cc:** Teter, Royan <[Teter.Royan@epa.gov](mailto:Teter.Royan@epa.gov)>; Prakash Iyer <[piyer@inhancetechnologies.com](mailto:piyer@inhancetechnologies.com)>

**Subject:** Re: [EXTERNAL]request for conference call

Janes,  
Hello,

I hope you are doing well. These questions are probably questions I can't answer well for you, I'm going to send you to Prakash Iyer our PHD chemist. Prakash is copied on this email and he should be able to answer any questions you might have.

Happy Holidays,  
Rich Eichacker

Vice President - Distributor and Industrial Sales  
e: [reichacker@inhancetechnologies.com](mailto:reichacker@inhancetechnologies.com)  
w: [inhancetechnologies.com](http://inhancetechnologies.com)

C: 636-484-1156

Inhance Technologies | 6821 Hazelwood Ave. | St. Louis | Missouri | 63134

On Dec 23, 2020, at 11:37 AM, Miles, James <[miles.james@epa.gov](mailto:miles.james@epa.gov)> wrote:

Hello Mr. Eichacker –

I got your name from Ms. Karen Larson of Clarke Mosquito Control Products, Inc.

Are you available today for a call to discuss some information that has come to our attention?

Sincerely,

James

James Miles  
Associate Director, Acting  
Waste and Chemical Enforcement Division  
Office of Civil Enforcement  
Office of Enforcement and Compliance Assurance  
U.S. Environmental Protection Agency  
William Jefferson Clinton Bldg., South, Rm. 4111A  
1200 Constitution Ave., NW  
Washington, DC 20460  
202.564.5161  
[miles.james@epa.gov](mailto:miles.james@epa.gov)

Links contained in this email have been replaced by ZixProtect Link Protection. If you click on a link in the email above, the link will be analyzed for known threats. If a known threat is found, you will not be able to proceed to the destination. If suspicious content is detected, you will see a warning.

Links contained in this email have been replaced by ZixProtect Link Protection. If you click on a link in the email above, the link will be analyzed for known threats. If a known threat is found, you will not be able to proceed to the destination. If suspicious content is detected, you will see a warning.

Links contained in this email have been replaced by ZixProtect Link Protection. If you click on a link in the email above, the link will be analyzed for known threats. If a known threat is found, you will not be able to proceed to the destination. If suspicious content is detected, you will see a warning.

Links contained in this email have been replaced by ZixProtect Link Protection. If you click on a link in the email above, the link will be analyzed for known threats. If a known threat is found, you will not be able to proceed to the destination. If suspicious content is detected, you will see a warning.